



1913 siawat

the first choice for first-class wet sanding results



the first choice for first-class wet sanding results

As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

- ▶ Very high removal rate
- ▶ Extremely long lifetime
- ▶ Highly water-resistant
- ▶ Highly adaptable to contours and shapes
- ▶ May be used wet or dry
- ▶ The market-leading wet abrasive for years

Product profile

Grit type:	Aluminium oxide	P060 – P1200
	Silicon carbide	P1500 – P2500
Grit range:	60-2500	
Backing:	c-wt paper	P800 – P2500
	d-wt paper	P060 – P600
Coating:	Closed	
bonding:	Resin over resin	

Use



Applications

- Sanding off coatings and impurities
- Sanding out unevenness at the edges of repaired surfaces
- Flatting bodyfiller and primer filler
- Fine sanding primer filler
- Keying old and new lacquers
- Removal of paint runs, orange-peel effect and dust inclusions

Materials

Colour; Primer filler; Primer coat; Epoxy primer coat; Old lacquer; Lacquer; Bodyfiller; Plastics

Technology

siafast



1913 siawat

the first choice for first-class wet sanding results



the first choice for first-class wet sanding results

As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

- ▶ Very even sanding pattern
- ▶ Highly water-resistant
- ▶ Highly adaptable to contours and shapes
- ▶ High stock removal with good finish
- ▶ May be used wet or dry

Product profile

Grit type:	Aluminium oxide	P060 – P1200
	Silicon carbide	P1500 – P2500
Grit range:	60-2500	
Backing:	c-wt paper	P800 – P2500
	d-wt paper	P060 – P600
Coating:	Closed	
bonding:	Resin over resin	

Applications

- Flattening bodyfiller and primer filler
- Scuffing of old and new lacquers for blending
- Removal of paint runs, orange-peel effect and dust inclusions
- Fine sanding of paints, lacquers and filler
- Intermediate sanding
- Keying

Materials

Colour; Primer filler; Lacquer; Old lacquer; Bodyfiller

Technology

siafast


Use





1913 siawat

the first choice for first-class wet sanding results



the first choice for first-class wet sanding results

As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

► Excellent finishing product

Product profile

Grit type:	Aluminium oxide Silicon carbide	P060 – P1200 P1500 – P2500
Grit range:	60-2500	
Backing:	c-wt paper d-wt paper	P800 – P2500 P060 – P600
Coating:	Closed	
bonding:	Resin over resin	

Applications

- Preparation for polishing on high-gloss surfaces
- Removal of lacquer defects
- Intermediate sanding of lacquers

Materials

Lacquer; Solid surface material

Technology

siafast

Use





1913 siawat

the first choice for first-class wet sanding results



the first choice for first-class wet sanding results

As a leading wet use abrasive, the 1913 siawat aluminium oxide series has been producing outstanding results for years thanks to such outstanding properties as high stock removal rates, optimal water resistance, long life and flexibility.

► Excellent finishing product

Product profile

Grit type:	Aluminium oxide Silicon carbide	P060 – P1200 P1500 – P2500
Grit range:	60-2500	
Backing:	c-wt paper d-wt paper	P800 – P2500 P060 – P600
Coating:	Closed	
bonding:	Resin over resin	

Materials

Lacquer; Solid surface material

Technology

siafast

Use

